














## Camera and Video Accessories

Digital Chargers/Power Supplies						
Model	Description		Dealer Pack Unit Quantity	Master Carton Unit Quantity		
<b>NEW! SCK-1</b>		<b>Camera Accessory Kit 1</b> - Includes a 7" tripod, 32-in-1 card reader, cleaning kit with screen shield, cloths, and solution, and wallet that holds 6 cards.	6	24		
<b>NEW! DCK-10</b>		<b>Digital Camera Kit</b> - Includes 10 megapixel camera in black, red or silver with 4x digital zoom and 2.4" LCD screen, a mini, flexible tripod, cleaning kit and USB card reader.	6	24		
<b>NEW! DCK-12</b>		<b>Digital Camera Kit</b> - Includes 12 megapixel camera in black, red or silver with 8x digital zoom and 2.4" LCD screen, a mini, flexible tripod, cleaning kit and USB card reader.	6	24		
<b>SIP-3</b>		<b>International "Pop Up" Power Plug Set</b> for Universal with of any AC device. Pieces nestle together into a single unit to put in your purse, carry-on or pocket.	6	24		
<b>SIP-5USB</b>		<b>New International Travel Plug Adapter with USB.</b> Features built-in USB charger that is compatible with e-readers, iPad, Kindle, iPod, cell phones, digital cameras and more. LED Power/Charge indicators. Fits all countries; UK, AU, NZ, EU, Asia, Africa. Nesting/stackable design for easy storage. 6		24		
<b>SPC-12V</b>		<b>Sima's AC/12VDC Converter,</b> Provides a simple solution for using your 12 volt accessories in your home. Simply plug in SPC-12V to outlet and insert 12 volt device into the socket (Be sure 12 volt device is off before connecting).	6	24		
<b>NEW! SUP-USB2</b>		<b>USB Ultimate Adapter</b> is wide-ranging, 100-240 Volt with 1 amp output. Complete USB charging solution in one slim, lightweight package.	6	24		
<b>SUP-60LX</b>		<b>Universal AC High Power Adapter/Charger for Digital Cameras/Camcorders - Now includes power tips for Sony and JVC Camcorders.</b> Includes 100 - 240V AC adapter for international use and a 12V DC car cord and adjustable settings for choosing 3.3V to 11V and a USB power tip.	6	24		







## Camera and Video Accessories

<p><b>UFC-12</b></p>		<p><b>Ultimate Battery Charger</b> - Works with all battery types including AA/AAA/NiCad/NiMH/Lithium Ion. Charges removable/rechargeable batteries while conditioning to extend battery life. Safe for external batteries—over-voltage, low voltage, short-circuit &amp; over-time protections, reverse polarity protection &amp; defective battery detection. Worldwide voltage (100-240V) &amp; plugs (EU, UK, USA etc.) for worldwide use. Use at home or in the car. Includes both wall (AC) &amp; car (12V DC) adapters.</p>	<p>NA</p>	<p>NA</p>		
----------------------	---	--	-----------	-----------	--	--







## Camera and Video Accessories

Adapters and Lighting						
Model	Description		Dealer Pack Unit Quantity	Master Carton Unit Quantity		
SL-10HD	 <p><b>Universal HD Video Light with Dimmer Control: Patent pending!</b> The Brightest Way to Light the Picture, without the heat. Includes manual dimmer control, built-in diffuser, and 10 LED lights that are 3x brighter than standard Xenon bulbs. Slim and lightweight design. Fully dimmable from 0 to 100%. Lasts 3x longer on a single charge than standard video lights (up to 1hour on a full charge), Uses ultra-efficient LED technology—average life of over 100,000 hours. Safe to touch—doesn't get hot. Proprietary LED technology to provide color balanced light for optimal picture quality. Compatible with all pro &amp; consumer digital video cameras and flicker free! Includes bracket.</p>		12	24		
SL-20LX	 <p><b>Pro LED Camcorder Light 600 Lumens Light. Patent pending interlocking design!</b> Features 36 LED Lights for optimum illumination and diffuser. Interlocking design for additional lighting options. Rechargeable internal Li battery with AC Power Adapter. Compatible with Pro and Consumer level Digital Camcorders.</p>		6	24		
SL-20IR	 <p><b>Pro IR Video Light for Camcorder. Patent-Pending interlocking design!</b> Ideal for no-light or low-light conditions. Shoe Mount compatible with flicker free technology. Compatible with Pro and Consumer level Digital Camcorders. Rechargeable internal battery with AC Adapter included.</p> <p><b>Pro LED Dual Purpose Video Light.</b></p>		6	24		
SL-20LXI	 <p><b>Patent pending interlocking design!</b> Updated model allows for perpetual power-- AC power or internal battery. If AC power fails, internal battery takes over. Features special Patent-Pending interlocking design allows lights to be linked together.</p>		6	24		





## Camera and Video Accessories

<b>Tripods and Support</b>						
Model	Description		Dealer Pack Unit Quantity	Master Carton Unit Quantity		
SLB-M	 <p><b>Ultra Lightweight Video Accessory Mounting Bracket.</b> Includes 2 universal show mounts for vertical/horizontal mounting. The bracket tightening screw has threaded tripod socket for easy mounting. Can also be used as a steady grip.</p>		6	36		
SCM-QR	 <p><b>Smooth-Shot is a hand held camcorder stabilizing system</b> that lets you shoot video like the pros from any angle while in motion; easy to assemble, comfortable hand grips, works with standard tripod mount, configurable into a variety of viewing angles.</p>		NA	4		
STV-54K	 <p><b>54 inch Video Tripod w/ bubble level,</b> 3 way pan head, quick-release, geared elevator and bubble level. Includes 21mm tube/3 section legs, central friction control and non-slip feet.</p>		NA	6		
STV-56K	 <p><b>56 inch Video Tripod w/ 2 way pan head,</b> 17mm tube/3 section legs, central friction control and non-slip feet.</p>		NA	6		
STV-58K	 <p><b>58 inch Video Tripod w/ 3-way fluid pan head,</b> quick-release, 20mm tube/3 section legs, geared elevator, accessory hook and carrying handle.</p>		NA	6		
SMP-1C	 <p><b>Digital Camera Monopod</b> w/cameraphone clip and quick-release. Has 5 adjustable, locking sections and works in portrait and landscape positions. 6</p>			24		

## Camera and Video Accessories








<b>Tripods and Support</b>						
Model	Description		Dealer Pack Unit Quantity	Master Carton Unit Quantity		
ST-11K		<b>Universal Mini-Tripod</b> w/cameraphone clip includes universal screw mount, adjustable/lockable swivel head, extendable legs, non-skid rubber feet and quick-release. Constructed of lightweight aluminum.	6	24		
SVP-3		<b>Mini VideoProp</b> is designed for today's cameras and camcorders. Adjustable for a comfortable fit and has built-in push button quick-release for instant attachment to any camera or camcorder with a standard screw mount.	6	24		
SVR		<b>QuickConnect for Tripod</b> has a spring-loaded lever for a fast, secure lock and release. Includes removeable video camera locking pin for use with SLR camera. 6		36		
<b>NEW!</b> STV-BPL		<b>Flexible Tripod - Large.</b> Textured, flexible legs grip to nearly any surface to achieve a shot from any angle. Use with point and shoot or DSLR cameras.	6	24		
<b>NEW!</b> STV-BPS		<b>Flexible Tripod - Small.</b> Textured, flexible legs grip to nearly any surface to achieve a shot from any angle. Use with point and shoot cameras.	6	24		
<b>NEW!</b> STV-42K		<b>42" Travel Tripod -</b> Compact and light for travel. Extends to 42" to use in the field. Universal mount and rubber feet. Ball pan head for pictures taken from various angles.	6	24		


## Camera and Video Accessories






<b>Lens Accessories</b>					
Model	Description	Dealer Pack Unit Quantity	Master Carton Unit Quantity		
CK-2	 <p><b>Capkeeper 2</b> - use with SLR cameras (with interchangeable lenses) and video cameras. Elastic loop wraps around lens barrel for secure fit.</p>	24	720		
PLE	 <p><b>Lens Pen</b> - unique cleaning compound removes fingerprints, smudges and grease marks easily and will not spill or dry out. Safe all lenses, including multi-coated surfaces. Environmentally friendly and non-toxic. Includes high quality, retractable cleaning brush. Use on any camera lens, camcorder or binoculars. 20</p>		200		
<b>Video Production and Sound</b>					
Model	Description	Dealer Pack Unit Quantity	Master Carton Unit Quantity		
SDW-150	 <p><b>High Performance Digital, Wireless Microphone for Camcorders.</b> High quality audio with cables! Compact bodypack transmitter has a range of 30' - 40' and attaches easily to the lavalier clipped microphone. The receiver connects easily to the camcorder with a built-in show mount. Has a built-in antenna, volume control and a LED power indicator. 2.4Ghz frequency and 100-110KHz frequency response. Interference free and frequency hopping. 6</p>		24		
MZM-1	 <p><b>Mini Camcorder Zoom Microphone</b> is an active, directional microphone with normal and zoom modes. Includes a sound isolating mount, mounts to a camcorder shoe, and is sturdy and lightweight. Low impedance.</p>	12	24		
SFX-11	 <p><b>Digital Video Effects Mixer/Switcher.</b> Features dual base time correction, 4 inputs for video, 6 inputs for audio, 4 video out, 4 audio out and headphone jack. Special effects include strobe, mosaic, picture in picture and chroma key. <b>NOW INCLUDES USB VIDEO FRAME GRABBER.</b></p>	3	6		

# Home Theater








## XL Backyard Theater


Model	Description		Dealer Pack Unit Quantity	Master Carton Unit Quantity		
		<b>6 ft. Inflatable screen</b> for the gameroom. 72" diagonal screen is perfect for gameroom or outside. Features unique sealed-air inflatable design and includes inflation pump. Inflates in just 4 minutes!				
XL-72		<b>8 Ft Inflatable Commercial grade Theater Screen Kit.</b> Includes 30 ft. of audio cable, stability tie downs, ground stakes, ground cloth, screen repair kit, and nylon carrying bag. Compatible with all projectors (but not included). 16x9 widescreen HD format. Inflation pump included. Does not include speakers. Inflates in just 5 minutes!	3	12		
XL-8		<b>Accessory Spandex Viewing Surface</b> to be used with the 8' XL Inflatable Theater - Features special spandex design with durable metal hooks to secure viewing surface to the frame. Provides excellent reflectivity in a wrinkle free material. Front and rear projection capabilities. Optimal viewing with 1.1 gain.	1	1		
XL-SPS-8		<b>Does not include inflatable frame.</b>  <b>Sima's commercial grade amplified speakers</b> are moisture resistant. Bass and treble control on speaker. Universal speaker stand mount. Line out allows for expansion of sound system.	1	1		
XL-SP8		<b>12 Ft Inflatable Commercial Grade Theater Screen Kit.</b> Includes inflation pump, volume control, audio cables, stability tie downs, ground stakes, ground cloth, screen repair kit, and nylon carrying case. Compatible with all projectors (but not included). 16x9				
XL-12		<b>Accessory Spandex Viewing Surface</b> to be used with the 12' XL Inflatable Theater - Features special spandex design with durable metal hooks to secure viewing surface to the frame. Wrinkle free viewing surface. Optimal viewing with 1.1 gain. Front and rear projection capabilities. Attaches to Sima's 12 ft.	NA	1		
XL-SPS-12		<b>6 ft. Outdoor/Indoor Home Theater Kit</b> - includes 6 ft. inflatable screen, projector, 2 speakers, 30 ft. of Audio cable, and Free Standing Volume Control panel. Also includes inflating/deflating pump and	NA	1		
XL-PRO		carrying case.				

XL-SS1		<b>Accessory Aluminum Speaker Stands</b> - Sturdy tripod legs that extend fully to 6 ft. Standard 1 3/8 diameter and includes locking pin.	NA	1		
--------	---	--	----	---	--	--

Model	Description		Dealer Pack Unit Quantity	Master Carton Unit Quantity		
		<p><b>120" Motorized Projection Screen</b> - patented dual white-gray viewing surfaces. (High contrast white for wide viewing angle or gray for deep black, theater-like color reproduction). Adjustment free feature extends life of viewing surface. Includes motor, remote control, and features sturdy steel casing. 120" viewing area. 16x9 HD format. Wide viewing angle eliminate "hot spots." Masking border provides</p>				
SMS-120		<p>improved image contrast. Wall or ceiling mountable.</p> <p><b>92" Manual Projection Screen</b> - patented dual white-gray viewing surfaces. (High contrast white for wide viewing angle or gray for deep black, theater-like color reproduction). Adjustment free feature extends life of viewing surface. 92" viewing area. 16x9 HD format. Wide viewing angle eliminate "hot spots." Masking border provides improved image</p>	N/A	4		
SMS-92		contrast. Wall or ceiling mountable. No electricity required.	N/A	4		
<p><b>NOTE: SMS-120 and SMS-92 must be ordered in 4 piece master pack mins</b></p>						
<p><b>Fixed Frame/Motorized Screens</b></p>						
LUM-80-VX		<p><b>80" HDTV Format Fixed Frame Screen</b> is perfect for home theater or public display. 2 different screens included are standard and exclusive to Sima. High contrast white screen for a vivid, TV-like picture with wide viewing angle and gray screen with deep black for theater-like color reproduction. Black aluminum frame with non-reflective velvet finish. Includes hardware for easy installation on a wall or suspend from ceiling. Fixed screen tensions provides perfectly flat surface. Highly effective scattered screen angle. 16x9 widescreen HDTV format.</p>	NA	1		
LUM-92-VX		<p><b>92" HDTV format Fixed frame screen</b> is perfect for home theater or public display. 2 different screens included are standard and exclusive to Sima. High contrast white screen for a vivid, TV-like picture with wide viewing angle and gray screen with deep black for theater-like color reproduction. Black aluminum frame with non-reflective velvet finish. Includes hardware for easy installation on a wall or suspend from ceiling. Fixed screen tensions provides perfectly flat surface. Highly effective scattered screen angle. 16x9 widescreen HDTV format.</p>	NA	1		
LUM-110-VX		<p><b>110" HDTV format Fixed frame screen</b> is perfect for home theater or public display. 2 different screens included are standard and exclusive to Sima. High contrast white screen for a vivid, TV-like picture with wide viewing angle and gray screen with deep black for theater-like color reproduction. Black aluminum frame with non-reflective velvet finish. Includes hardware for easy installation on a wall or suspend from ceiling. Fixed screen tensions provides perfectly flat surface. Highly effective scattered screen angle. 16x9 widescreen HDTV format.</p>	NA	1		








**A/V - Speaker Selectors**

Model	Description	Dealer Pack Unit Quantity	Master Carton Unit Quantity
	 <p><b>6 input Audio/Video Switcher</b> features video signal conversion (converts composite &amp; S-video up to component), multiple inputs (6 composite video inputs, 4 S-video, 2 component video inputs &amp; 3 HDMI inputs), auto input sensing (automatically detects &amp; switches to the active source when turned on!), volume stabilization (allows you to increase and decrease the preset range of the audio output per input channel), digital audio conversion (feeds either a single optical or coaxial signal to your receiver from multiple optical &amp; digital coax signals and splits digital audio from HDMI), universal learning remote, easy front panel connections, home automation (universal RS-232 port connects to any home automation system such as Crestron™, X10™ and more!), and large blue LED backlit display for custom naming &amp; display of each input channel.</p>		
VS-560	 <p><b>4 input Audio Video Switcher (manual)</b> - is compact to fit into any system and requires no power for easy installation. 1.8" jack on front to feed audio signals to wireless systems and works with stereo audio &amp; both composite and S-video signals. Simplifies A/V system wiring by providing a single distribution point. Works both forward and reverse directions</p>	3	12
<b>SVS-14</b>	<b>(4 in and 1 out or 1 out and 4 in; only 1 output active at a time).</b>	<b>6</b>	<b>24</b>
<b>A/V - Speaker S</b>			
SSW-4	 <p><b>Speaker Selector for 4 Pairs of Speakers</b> - automatic polyswitches (turn off unit when overload is detected; resets within a short period of time once user removes overload or reduces volume), listen to one or more speakers at time, impedance protection allows a single amplifier to safely power several pairs of speakers.</p>	6	12
SSW-6	 <p><b>Speaker Selector for 6 pairs of speakers</b> - automatic polyswitches (turn off unit when overload is detected; resets within a short period of time once user removes overload or reduces volume), listen to one or more speakers at time, impedance protection allows a single amplifier to safely power several pairs of speakers.</p>	6	12
SSW-L4EX	 <p><b>Speaker Selector (4 Pair) With Level Controls</b> features impedance protection to protect your amplifier from low impedance when multiple speaker pairs are selected, solid metal construction and plug-in screw terminal block for easy, yet secure, wiring.</p>	2	4
SSW-L6EX	 <p><b>Speaker Selector (6 Pair) With Level Controls</b> features impedance protection to protect your amplifier from low impedance when multiple speaker pairs are selected, solid metal construction and plug-in screw terminal block for easy, yet secure, wiring.</p>	2	4
SSW-4HP	 <p><b>High Powered Speaker Selector (4 Pair) W/Level Controls</b> allows you to select and play one to four speaker pairs at a time in any location, around the home or office. Play them individually or in any combination of pairs. Dual amplifier input lets you play one audio source in one room and a different audio source in a different room or outside! These units are compact for easy installation into any system. Simple to use! Just select the amp and adjust the volume. Protection Circuitry automatically protects the amplifier from low speaker impedance using auto impedance transformers.</p>	3	9




SSW-6HP		<p><b>High Powered Speaker Selector (6 Pair) W/Level Controls</b> allows you to select and play one to six speaker pairs at a time in any location, around the home or office. Play them individually or in any combination of pairs. Dual amplifier input lets you play one audio source in one room and a different audio source in a different room or outside! These units are compact for easy installation into any system. Simple to use! Just select the amp and adjust the volume. Protection Circuitry automatically protects the amplifier from low speaker impedance using auto impedance transformers.</p>	3	9		
---------	---	---	---	---	--	--

## Digital & MP3 Accessories










### USB and Cabling Accessories

Model	Photo	Description	Dealer Pack Unit Quantity	Master Carton Unit Quantity		
<b>NEW! SUP-NET2</b>		<b>Universal Netbook Charger</b> - Includes adapter and 6 tips.	6	24		
<b>NEW! SUP-NET3</b>		<b>Car Netbook Charger</b> - Includes cigarette light/power port adapter and 6 tips to power your netbook on the go.	6	24		
<b>NEW! SDCR-10</b>		<b>32-in-1 Card Reader</b> - reads and writes 32 different types of cards. USB 2.0 speed.	12	48		
<b>NEW! SDCR-30</b>		<b>50-in-1 Card Reader</b> - reads and writes 50 different types of cards. USB 2.0 speed.	12	48		
<b>NEW! SUO-150</b>		<b>USB Hub for Laptop</b> - add USB ports to your computer. Includes 3 standard USB ports and one USB mini connector, for use with a camera. Standard USB 2.0 and built-in overload protection.	6	24		
<b>SUO-100</b>		<b>USB Multi Cable - Multiple USB Connections with the ease of a single cable solution.</b> Includes Standard A (with mini A adapter included) on one end with a Standard B, mini B - 5 pin and mini B - 4 pin and mini 8 pin flat on the other end. Single 1.5 meter cable. Enables ease with multiple devices connected simultaneously. Perfect for traveling. Use with e-readers such as Kindle, iPad and more!	6	24		
<b>SUO-200m</b>		<b>USB Multi Cable with Firewire. Patented!</b> Includes Standard A (with mini A adapter included) on one end with a Standard B, mini B - 5 pin and mini B - 4 pin and mini 8 pin flat on the other end. Use with PDA's, media players, cell phones, laptops, portable DVD players, camcorders, digital cameras and more! Use with e-readers such as Kindle, iPad and more!	6	24		






**USB Multi-Cable.** Multiple USB connections

 <p><b>SUP-100</b></p>		<p>include Standard A (with mini A adapter included) on one end with Standard B, mini B - 5 pin and mini B - 4 pin, &amp; mini 8 pin flat at the other end. Use with PDAs, media players, cell phones, laptops, portable DVD players, camcorders, digital cameras and more. Use with e-readers such as Kindle, iPad and more!</p> <p><b>USB Multi Cable with HDMI.</b> Features Standard USB A and HDMI A on one end, with Standard B, mini B 4 pin, mini B 5 pin, mini 8 pin and HDMI mini C on the other end. Universal HDMI A to A and A to C. Ideal for use with new HD Camcorders, Digital Cameras, MP3's, Laptops, and more! 5 ft cable. Use with e-readers such as Kindle, iPad and more!</p>	<p>NA</p>	<p>NA</p>		
<p><b>SUO-1080p</b></p>		<p>include Standard A (with mini A adapter included) on one end with Standard B, mini B - 5 pin and mini B - 4 pin, &amp; mini 8 pin flat at the other end. Use with PDAs, media players, cell phones, laptops, portable DVD players, camcorders, digital cameras and more. Use with e-readers such as Kindle, iPad and more!</p> <p><b>USB Multi Cable with HDMI.</b> Features Standard USB A and HDMI A on one end, with Standard B, mini B 4 pin, mini B 5 pin, mini 8 pin and HDMI mini C on the other end. Universal HDMI A to A and A to C. Ideal for use with new HD Camcorders, Digital Cameras, MP3's, Laptops, and more! 5 ft cable. Use with e-readers such as Kindle, iPad and more!</p>	<p>6</p>	<p>24</p>		

## Power Inverters

Titanium Plus DC-AC Power Inverters						
Model	Photo	Description	Dealer Pack Unit Quantity	Master Carton Unit Quantity		
<b>NEW!</b> STP-100c		<b>Single Cable Inverter - patent pending</b> 100 Watts of portable power that plugs into your cigarette outlet/power port in your car.				
<b>NEW!</b> STP-120b		<b>120 Watt Gooseneck Inverter</b> - plugs into cigarette lighter/power port in vehicle for power on the go. Power and charge USB devices with this unit. Includes full input & output protection, automatic thermal shutdown, and low battery shutdown.				
<b>NEW!</b> STP-150b		<b>150 Watt Gooseneck Inverter</b> - plugs into cigarette lighter/power port in vehicle for power on the go. Power and charge USB devices with this unit. Includes full input & output protection, automatic thermal shutdown, and low battery shutdown.				
<b>NEW!</b> STP-175b		<b>175 Watt Gooseneck Inverter</b> - plugs into cigarette lighter/power port in vehicle for power on the go. Power and charge USB devices with this unit. Includes full input & output protection, automatic thermal shutdown, and low battery shutdown.		24		
STP-225		<b>225 Watt Power Inverter</b> - includes inverter, manual, USB charger, and mounting feet for easy installation. cETL. Smooth Start technology protects both the appliance powered and inverter.	4	16		
STP-425		<b>425 Watt Power Inverter</b> - includes inverter, manual, USB charger, and mounting feet for easy installation. cETL. Smooth Start technology protects both the appliance powered and inverter.	4	16		
STP-650		<b>650 Watt Power Inverter</b> - includes inverter, manual, USB charger, and mounting feet for easy installation. cETL. Smooth Start technology protects both the appliance powered and inverter.	6	12		
STP-825		<b>825 Watt Power Inverter</b> - includes inverter, manual, USB charger, and mounting feet for easy installation. cETL. Smooth Start technology protects both the appliance powered and inverter.	6	12		
STP-1250		<b>1250 Watt Power Inverter</b> - includes inverter, manual, USB charger, and mounting feet for easy installation. cETL. Smooth Start technology protects both the appliance powered and inverter.		8		









**1700 Watt Power Inverter - includes**

<p>STP-1700</p> 		<p>inverter, manual, USB charger, and mounting feet for easy installation. cETL. Smooth Start technology protects both the appliance powered and inverter.</p>		<p>8</p>		
<p>STP-3300</p>		<p><b>3300 Watt Power Inverter</b> - includes inverter, manual, and mounting feet for easy installation. cETL. Smooth Start technology protects both the appliance powered and inverter.</p>		<p>1</p>		
<p>SE-JI</p>		<p><b>AUTOCHARGE. Charge your car battery without opening the hood!</b> Connects via cigarette/power outlet of car. Includes 18' long cord. Charges within 5-10 minutes. Indicator lights let you know when your car is ready and wind-up feature keeps cables organized.</p>	<p>NA</p>	<p>NA</p>		
<p>SK-200</p>		<p><b>Professional Inverter Installation kit</b> for STP-1000T and STP-1500T units. Clear View Fuse Holder for 150 and 200 AMP fuses. Anti-corrosion connectors and rubber grommets for insulation protection. Heavy duty safety cables: 3' of #2 AWG RED for positive, 6' of #2 AWG RED for positive, 8' of #2 AWG BLACK for negative 1, 9' of #8 AWG GREEN for ground.</p>	<p>1</p>	<p>NA</p>		



## First Alert®


### First Alert Weather and Public Alert Radios

NEW! SFA-FKT		<b>First Alert® FEMA Emergency Kit</b> - 3-compartment large duffel, First Alert® Crank Radio, multi-tool, blanket, poncho, FEMA recommendations and instructions.				
NEW! SFA-MKT		<b>First Alert® Mid Size Emergency Kit</b> - Kit includes bag with First Alert® Tundra fire extinguisher, multi-tool, mini first aid kit, and crank flashlight.				
NEW! SFA-VKT		<b>First Alert® Visor Emergency Kit</b> - includes window propping tool, small first aid kit, and light.				
NEW! SFA-TKT		<b>First Alert® Trunk Emergency Kit</b> - Duffel includes pop-up cone, blanket, towing strap, jumper cables, poncho, first aid kit, crank flashlight, multi-tool, and more!				
WX-17		<b>First Alert(R) Portable AM/FM Weather Band Emergency Radio</b> with 7 NOAA weather channels. Receives all 7 NOAA Weather/Hazard channels and includes telescopic antenna, AM/FM weather band radio receiver, 120V AC adapter for desktop operation, carrying handle, earphone jack, and emergency alert siren. Uses 4 AA batteries (not included).	NA	10		
CR-200		<b>First Alert(R) Crank Power Radio with AM/FM/Weather band broadcasts.</b> Receives AM/FM/NOAA weather band broadcasts. Crank power charges internal NiMH battery so the radio is always ready. Features LED emergency light with charging LED indicator. New rugged weather resistant design.	NA	10		
WX-07		<b>Emergency Alerting feature.</b> Automatically alerts you of emergencies, 24/7. FM autoscan button for easy station tuning. Reset button resets to 88 MHz to begin scanning. Receives all 7 NOAA weather band channels. Features ultra bright LED light, 14" retractable antenna and runs on 3 AAA batteries (not included). Perfect for camping, outdoors and travel.	10	10		
WX-150		<b>Stand Alone First Alert Public Alert Radio with S.A.M.E.</b> - meets standards for certified PUBLIC ALERT radio. Monitors NOAA weather band radio day and night. Receives 80 emergency alerts including hurricane and tornado warnings, AMBER alerts, civil danger alerts, nuclear power plant warnings, immediate evacuation notices and more. Automatically sounds a loud siren when emergency conditions are reported. Programmable to receive warnings for emergencies specific to your area. LCD scrolling display, battery back-up protection, and wall mountable. Uses S.A.M.E (Specific Area Message Encoding) to eliminate duplicated warnings.	NA	10		






## First Alert®

### First Alert Weather and Public Alert Radios




WX-200		<p><b>First Alert(R) Public Alert Radio with S.A.M.E.</b> Built-in Digital Database with automated FIPS programming. Operates in English or Spanish, with bi-lingual LCD Display and prompts. Meets Public Alert standards (CEA-2009A). Monitors NOAA weather band radio day and night. Receives 80 emergency alerts including hurricane and tornado warnings, AMBER alerts, civil danger alerts, nuclear power plant warnings, immediate evacuation notices and more. Automatically sounds a loud siren when emergency conditions are reported. Programmable to receive warnings for emergencies specific to your area. LCD scrolling display, battery back-up protection, and wall mountable. Uses S.A.M.E (Specific Area Message Encoding) to eliminate duplicated warnings.</p>	NA	10		
--------	---	---	----	----	--	--

## Tetra Pouches


### AeroPro Line of Checkpoint Friendly Travel Wraps






Model	Photo	Description	Dealer Pack Unit Quantity	Master Carton Unit Quantity		
TP-22		Bundle of TP-14 and SPW-09. See descriptions below.	NA	NA		
SPW-09		<b>Small Waterproof Self-Inflating Tetra Pouch. Patent pending design!</b> Protects camera, camcorder and all other electronics. Keeps up to 5 lbs. afloat and features patented design with heavy duty, soft and flexible Aeroprene™ fabric. Secure Velcro(TM) enclosure with durable zipper and carry strap.	8	16		
TP-14		<b>Large Waterproof Self-Inflating Tetra Pouch. Patent pending design!</b> Protects camera, camcorder and all other electronics. Keeps up to 10 lbs. afloat and features patented design with heavy duty, soft and flexible Aeroprene™ fabric. Secure Velcro(TM) enclosure with durable zipper and carry strap.	8	16		

**HDMI Conversion/Transcoders**

HDMI Conversion/Transcoders				
Model Description				
<b>X-SCALE</b>		<p><b>Composite/S-Video/Component to HDMI 1080p Scaler.</b> Scales any video resolutions to PC (VGA~WUXGA)/HD(480i~1080p) resolutions. Automatically detects factory setting of connected display and outputs the corresponding resolution and refresh rate, when the NATIVE output is selected. Supports 50/60 Hz frame rate conversion. Supports 3D motion video adaptive, 3D deinterlacing and 3:2/2:2 pull down detection and recovery. Provides output picture adjustment on contrast, brightness, hue, saturation, sharpness, RGB (color tone) level and aspect ratio size. Supports the following resolutions: PC: VGA, SVGA, XGA, SXGA, UXGA, WXGA, WSXGA, WUXGA, SD/HD: 480i, 576i, 480p, 576p, 720p, 1080i, and 1080p.</p>		
<b>X-CON YUV</b>		<p><b>HDMI to Component Video Converter.</b> Converts HDMI signals into component video and converts audio to coax digital or analog L/R. Compliant with HDMI 1.3b. Supports a wide range of resolutions: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p @ 60 Hz. Supports digital audio input through coaxial cable or analog audio input through L/R audio cable. IR remote control. HDCP compliant (when input is HDCP encrypted/protected, the component out will be turned off. Analog output terminates if HDCP signal is detected. FC, CE and RoHS compliant.</p>		
<b>X-EQ</b>		<p><b>HDMI to HDMI Signal Equalizer.</b> Provides 8 db input equalization into compensate for long HDMI cable loss. Extend cable reaches to 40 meters, 20 meters from the source to the equalizer plus 20 meters from the equalizer to the projector, and TV/monitor. Maintains high HDMI single link video resolution up to UXGA/1080p. HDCP compliant. Plug and play. Easy to install. Can be powered directly from cable. HDMI is backward compatible with DVI. RoHS compliant. Works with either DVI or HDMI.</p>		

**HDMI Conversion/Transcoders**

HDMI Conversion/Transcoders				
Model Description				
<b>XCAT-6TRAN</b>		<p><b>HDMI over CAT 6 cable Transmitter - All Digital;</b> no A/D conversion. Supports new lossless compressed digital audio (Dolby TrueHD, Dolby Digital Plus, and DTS-HD Master Audio). Supports CAT-5/CAT5E/CAT6 cables of various type. DTV resolutions: 480i, 576i, 480p, 576p, 720p, 1080i, 1080p. Supports HD input up to 1080p/10bits, output resolution follows input. Supports CEC function. Fully HDCP compliant. Easy to install and simple to operate.</p>		

<p><b>XCAT-6REC</b></p>		<p><b>HDMI over CAT 6 cable Receiver.</b> All Digital; no A/D conversion. Supports new lossless compressed digital audio (Dolby TrueHD, Dolby Digital Plus, and DTS-HD Master Audio). Supports CAT-5/CAT5E/CAT6 cables of various type. DTV resolutions: 480i,576i, 480p, 576p, 720p, 1080i, 1080p. Supports HD input up to 1080p/10bits, output resolution follows input. Supports CEC function. Fully HDCP compliant. Easy to install and simple to operate.</p>		
<p><b>XCAT-REP</b></p>		<p><b>HDMI over CAT cable Repeater</b> All Digital; no A/D conversion. Supports new lossless compressed digital audio (Dolby TrueHD, Dolby Digital Plus, and DTS-HD Master Audio). Supports CAT-5/CAT5E/CAT6 cables of various type. DTV resolutions: 480i,576i, 480p, 576p, 720p, 1080i, 1080p. Supports HD input up to 1080p/10bits, output resolution follows input. Supports CEC function. Fully HDCP compliant. Easy to install and simple to operate.</p>		
<p><b><u>HDMI Switchers</u></b></p>				
<p><b>Model Description</b></p>				
<p><b>XSW-41</b></p>		<p><b>4-input HDMI Switcher.</b> Signal enhancement feature allows you to improve signal quality after long distance transmission. LED indicators. Ideal for home theater integration. Supports high resolution input: PC: VGA, SVGA, XGA, SXGA, UXGA HD: 480i, 576i, 480p, 576p, 720p, 1080i, 1080p. Remote control. RoHS compliant. Easy to install and simple to operate.</p>		
<p><b>XSW-42</b></p>		<p><b>4 input HDMI switcher with 2 HDMI outputs -</b> Deep color video up to 12bit, 1080p @ 60Hz. 4 HDMI sources to connect up to 2 HDMI displays simultaneously. Supports DVI source and DVI display by using HDMI to/from DVI adapter cable. Dolby Digital, DTS digital audio transgression (32-192kHz Fs sample rate). Supports a wide range of PC and HDTV resolutions from VGA to UXGA and 480i to 1080p. HDMI cable distance test with 1080p resolution: input/output source can run up to 30M/5.1CH. Fully HDCP compliant.</p>		
<p><b><u>HDMI Distribution Amp/Splitters</u></b></p>				
<p><b>Model Description</b></p>				
<p><b>XDA-18U</b></p>		<p><b>1 Input, 8 output HDMI distribution Amp -</b> HDMI 1.3b. Signal distribution. Supports deep color (10bit and 12bit) video. New lossless compressed digital audio, with a high bandwidth up to 225MHz (Dolby TrueHD, Dolby Digital Plus and DTS-HD Master Audio). Provides signal amplification of audio and video.</p>		

ExtenHD Customer Warranty: 1 Year Limited (parts/labor).